

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau




(43) International Publication Date
22 February 2001 (22.02.2001)

PCT

(10) International Publication Number
WO 01/13329 A1

- (51) International Patent Classification⁷: G06K 19/06 (74) Agent: ABRAMS, Michael, John; Imperial House, 17-19 Kingsway, London WC2B 6UD (GB).
- (21) International Application Number: PCT/GB00/03171 (81) Designated States (*national*): JP, US.
- (22) International Filing Date: 16 August 2000 (16.08.2000) (84) Designated States (*regional*): European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
9919333.6 16 August 1999 (16.08.1999) GB
- (71) Applicant (*for all designated States except US*): FLYING NULL LIMITED [GB/GB]; Harston Mill, Cambridge CB2 5NH (GB).
- Published:
— With international search report.
— With amended claims.
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.
- (72) Inventor; and
(75) Inventor/Applicant (*for US only*): MATTHEWSON, Peter [GB/GB]; 37 Tyrells Way, Great Baddow, Chelmsford, Essex CM2 7DP (GB).

(54) Title: INFORMATION CODING TECHNIQUES



WO 01/13329 A1

(57) Abstract: The present application discloses methods of encoding information and in particular to the way in which magnetically or optically detectable elements can be arranged on a substrate so as to encode the information to be stored. An information carrier is described which comprises a plurality of individual detectable elements supported by, or incorporated in, a substrate wherein the spacing between the elements serves to encode the information and is such that it can be represented as $A + mG$, wherein A is a first fixed value, m is an integer (which may be zero) and G is a second fixed value, characterised in that the values of the integer m , are selected to be integers derived by a predetermined mathematical sequence or a random sequence generator.